






10.00 inches [25.40 cm]

7.50 inches [19.05 cm]

inches



Loadingplate



Gooseneck

inches



cm

cm

Gooseneck

10.00 inches [25.40 cm]

7.50 inches [19.05 cm]



inches

cm











cm

inches

10.00 inches [25.40 cm]

inches

7.50 inches [19.05 cm]



Gooseneck

inches




cm

cm

10.00 inches [25.40 cm]

7.50 inches [19.05 cm]

inches



Loadingplate

inches

cm



cm

10.00 inches [25.40 cm]

7.50 inches [19.05 cm]

inches

cm



Axlcarrier

inches



cm

10.00 inches [25.40 cm]

7.50 inches [19.05 cm]

inches

cm



Axlcarrier

inches



cm

10.00 inches [25.40 cm]

7.50 inches [19.05 cm]

inches

cm



Axlcarrier





inches

cm

10.00 inches [25.40 cm]

inches

7.50 inches [19.05 cm]



Axlcarrier

inches

cm



cm

10.00 inches [25.40 cm]

7.50 inches [19.05 cm]

inches

cm



Brakes




inches

cm

10.00 inches [25.40 cm]

inches

Axles



7.50 inches [19.05 cm]

inches


cm

cm


10.00 inches [25.40 cm]

inches

Conncting Hinge



Dropdeck-Middlepart for the center



7.50 inches [19.05 cm]



inches

cm

cm

10.00 inches [25.40 cm]

7.50 inches [19.05 cm]



Dropdeck-Endparts

inches

cm

cm

inches



10.00 inches [25.40 cm]

Dropdeck-Middleparts for wheelrecess

7.50 inches [19.05 cm]

inches

cm





inches



cm

10.00 inches [25.40 cm]

7.50 inches [19.05 cm]



Dropdeck-Sideparts



inches


inches

cm

cm




10.00 inches [25.40 cm]

inches



7.50 inches [19.05 cm]

Dropdeck-Sideparts for the center



inches

cm

cm

10.00 inches [25.40 cm]


inches

7.50 inches [19.05 cm]

inches

cm

cm



Wheelrecess

10.00 inches [25.40 cm]

7.50 inches [19.05 cm]

inches



Upper Surface

inches


cm

cm

10.00 inches [25.40 cm]

7.50 inches [19.05 cm]

inches



Upper Surface

inches


cm

cm


10.00 inches [25.40 cm]

inches

7.50 inches [19.05 cm]



Bottom Surface



Conncting Hinge

inches


cm

cm


10.00 inches [25.40 cm]

7.50 inches [19.05 cm]

inches



Bottom Surface



Connecting Hinge




inches

cm



cm

10.00 inches [25.40 cm]

7.50 inches [19.05 cm]



Bumper



inches

inches

cm


cm

10.00 inches [25.40 cm]








7.50 inches [19.05 cm]

inches

cm





Loadingramp Front



cm

Loadingramp





inches

cm










10.00 inches [25.40 cm]

inches



Sideextensions

7.50 inches [19.05 cm]



inches

cm









cm

10.00 inches [25.40 cm]

7.50 inches [19.05 cm]

inches

cm



Wheels

inches

cm


10.00 inches [25.40 cm]

inches


Axlcarrier



7.50 inches [19.05 cm]



Gooseneck outside




inches

cm



cm

10.00 inches [25.40 cm]


inches




Gooseneck



Gooseneck



7.50 inches [19.05 cm]



Bumper

inches



cm

cm

10.00 inches [25.40 cm]






inches

Dropdeck-Middleparts



Dropdeck-Endparts

7.50 inches [19.05 cm]



inches

cm

cm



10.00 inches [25.40 cm]

inches





Dropdeck-Middlepart for the center

7.50 inches [19.05 cm]



Dropdeck-Sideparts

Dropdeck-Sideparts for the center



inches

cm

cm

10.00 inches [25.40 cm]

inches

ca. 3mm thick
cardboard

Axlecarrier

7.50 inches [19.05 cm]


ca. 3mm thick
cardboard

Loadingplatform

inches

cm

cm






This area have to be cut out



This parts are internal structure



This parts are templates



Fold and glue backside



Helpline [folding, guide, cut]

Pages Instruction : 14

Pages Modell : 30

Print Pages 10 3 times

16 2 times

24 6 times

Parts ~ 400

For question, comments, critic send a mail to chriess@vr-web.de